Vibronic Point level detection Soliphant FTM20

Compact limit switch for bulk solids

Avantajlar:

- Operational safety, reliability and universal applicability through use of the tuning fork measuring principle
- Measurement is unaffected by conductivity, build-up, turbulence, flows or air bubbles
- Simple and fast commissioning, no calibration required
- No mechanically moved parts, free of maintenance
- Safe function due to self-monitoring (active frequency monitoring of the fork)
- Easy recurring function test via test magnet
- Suitable for constricted space due to compact design

Özelliklere genel bakış

- Process temperature -40°C ... 150°C (-40°F ... 300°F)
- Process pressure / max. overpressure limit Vacuum ... 25 bar (Vacuum ... 360 psi)
- Min. density of medium 200 g/l

Uygulama alanı: Soliphant FTM20 is a point level switch for applications with fine-grained or coarse-grained, non-fluidized bulk solids. The various designs means the device has a wide range of applications. Certificates are also available for use in dust and hazardous areas.

Özellikler ve şartlar

Point Level / Solids

Measuring principle Vibration Solids





Fiyatı en az **€327,42** 13.12.2023 tarihinden itibaren fiyat

Daha fazla bilgi ve güncel fiyatlandırma: www.tr.endress.com/FTM20

Point Level / Solids

Characteristic / Application

Compact point level switch for fine grained solids Grain size <= 25 mm (<= 0.98 in) Single rod No calibration required Not affected by build-up or external vibration Robust Switch value visible from outside

Supply / Communication

10 - 45V DC 19 - 253 VAC relay DC PNP 10 - 45 V

Ambient temperature

-40°C ... 70°C (-40 °F ... 160 °F)

Process temperature

-40°C ... 150°C (-40°F ... 300°F)

Process pressure / max. overpressure limit

Vacuum ... 25 bar (Vacuum ... 360 psi)

Min. density of medium

200 g/l

Main wetted parts

316L

Process connection

Thread R 1" R 1 1/2" 1 1/4" NPT 1 1/2" NPT Point Level / Solids

Sensor length 225 mm (9")

Communication DPDT relay DC PNP max 350mA

Certificates / Approvals

ATEX, FM, CSA, CSA C/US, IEC Ex, NEPSI, INMETRO, EAC

Ayrıntılı bilgi www.tr.endress.com/FTM20

